



NASA Weather Accident Prevention Annual Project Review Weather Data-Link Market Survey

Aviation Management Associates
Arthur Feinberg
November 20, 2002





Program Objectives

- Conduct a market survey of companies providing or proposing to provide graphical weather information to the GA cockpit
- Analyze market survey results to compare system, service and product offerings
- Identify system, service or product area constraints which could benefit from additional R&D technology investment



GA Market Survey of Weather Data-Link Products



Vendors

- AirCell, Inc.
- UPS AviationTechnologies
- Echo Flight
- Satellink Technologies,
 Inc.
- WSI
- Jeppesen
- Flytimer
- Goodrich

- Garmin
- Avidyne Corp.
- ControlVision
- Arnav
- HoneywellBendix/King
- Rockwell Collins
- Universal Avionics







- Product Availability
- Recurring and Non-recurring Costs
- Weather Data Sources and Products Provided
- Communication Data Links
- Applicable GA Aircraft
- Certified Avionics/Wx. Data Sources
- Product System Technical Specifications
- Display Capabilities and Characteristics





Data-Link Implementations:

- Cellular/Ground-Based
 - AirCell, UPS Aviation Technologies,
 ControlVision, Jeppesen
- Low Earth Orbiting (LEO) Satellites
 - Echo Flight, Garmin, Avidyne, Arnav,
 Control Vision





Data-Link Implementations:

- Geosynchronous Satellite (GEO)
 - Satellite Technologies, WSI, UPS Aviation Technologies
- VHF/FIS-B Ground-Based
 - Arnav, Honeywell Bendix/King
- ARINC ACARS
 - Rockwell Collins, Flytimer





GA Cockpit Weather Display Options:

- A/C Multifunction Displays (MFDs)
 - Garmin 430 & 530 (Echo Flight, Garmin)
 - Apollo MX-20 (AirCell, UPS Aviation Technologies)
 - MFD-5200 (ARNAV)
 - KMD-550 & 850 (Honeywell Bendix/King)
 - Adaptive Flight Display 3010E (Rockwell Collins)
 - FlightMax (Avidyne)





GA Cockpit Weather Display Options:

- Portable Graphic Weather Displays
 - Flight Cheetah FL270 & Laptop (Echo Flight)
 - PDAs & Laptops (AirCell, Merlin)
 - PDAs (ControlVision, ARNAV, WSI)





Communications Data Link:

- Cellular: Provides voice and data communications at a price of \$2/minute
- Ground Based VHF: Broadcast service with frequent updates while coverage good only above 5,000' AGL
- LEO Satellite Request/Reply Service: Weather data updates may be too infrequent (charge per request)
- GEO Satellite Broadcast Service: Good coverage with frequent updates but recurring costs >\$500/year
- UAT Broadcast: FAA selected GA data link although no current commercial weather service providers





Recurring and Non-Recurring Costs:

- Non-Recurring Cost-Driver is MFD in Most
 Cases
- Recurring Costs appear to be Within User
 Acceptance Criteria for Weather Graphics





Avionics Display Functionality:

- All MFD's display operational information and allow graphical weather to be overlaid
 - No standard between commercial offerings
 - Like colors constrain the overlay of weather graphics with some operational information
- IPAQ display offerings inconsistent
 - One offering displays static graphic weather images
 - One offering provides similar functionality to MFDs





• Weather Products – GA Weather Needs:

- Weather that affects GA decisionmaking:
 - Convection location and short-term forecasts
 - Areas of known icing and short-term forecasts
 - Winds at flight altitude
 - Cloud top/bottom
 - En Route and destination visibility (combined with clouds for VFR or IFR conditions); Slant range vis.
 - Low level wind shear/Crosswind component
 - Volcanic Ash location and forecasted movement





Conclusions

- Graphical weather cost reductions required for increased GA market penetration:
 - Avionics (MFDs) too expensive for most GA
 - Subscription service costs also a consideration
- Satellite regional broadcasts with local ground-based broadcasts may be optimal
- GA graphical weather needs not well defined or standardized





Recommendations

- Flight Test & Evaluate Commercial Weather Data Link Systems
 - Conduct objective evaluation using GA aircraft and diverse group of GA pilots
 - Assess performance of strategic flight planning
 - Investigate GA tactical weather avoidance
 - Compare quality and timeliness of weather data





Recommendations

- Evaluate Hybrid Satellite and Ground Based Architecture for Aviation Weather
 - Assess benefits and tradeoffs to implement
 - Satellite broadcasts for national/regional data
 - Ground-based broadcast for local weather data
 - VHF (VDL-2/3) and/or UAT for ground-based
 - GEO or SDARS for satellite broadcast service